CONTENTS

PART 1 FEBRUARY 1991

ELLIS, J. and THURLBY, T. Changes in the messenger RNA population during sporulation of *Eimeria maxima* 1

RANDOLPH, S. E. The effect of *Babesia microti* on feeding and survival in its tick vector, *Ixodes trianguliceps* 9

FRY, M. and BEESLEY, J. E. Mitochondria of mammalian *Plasmodium* spp. 17

SATTABONGKOT, JETSUMON, MANEECHAI, NONGNUJ and ROSENBERG, RONALD *Plasmodium vivax*: gametocyte infectivity of naturally infected Thai adults 27

HOLLISTER, W. S., CANNING, E. U. and WILLCOX, A. Evidence for widespread occurrence of antibodies to *Encephalitozoon cuniculi* (Microspora) in man provided by ELISA and other serological tests 33

XU, S., SHI, F. and WU, H. *Schistosoma japonicum*: some parameters affecting the development of protective immunity induced by a cryopreserved, irradiated schistosomula vaccine in guinea-pigs 45

VAN GOOL, J., VAN TIEL, D., DOENHOFF, M. J. and VAN VUGT, H. Effect of acute phase proteins, especially α_2-macroglobulin, on granuloma formation around *Schistosoma mansoni* eggs in the rat 49

MUNRO, G. H., BRANNAN, L. R., CHAPPELL, L. H., THOMSON, A. W. and MCLAREN, D. J. The larvicidal activity of cyclosporin A against *Schistosoma mansoni* in mice 57

XU, C. and XU, S. Activated macrophages in highly irradiated cercariae-induced immunity to *Schistosoma japonicum* in rats 65

CHANDIWANA, S. K., WOOLHOUSE, M. E. J. and BRADLEY, M. Factors affecting the intensity of reinfection with *Schistosoma haematobium* following treatment with praziquantel 73

SCHALLIG, H. D. F. H., SASSEN, M. J. M., HORDIJK, P. L. and DE JONG-BRINK, M. *Trichobilharzia ocellata*: influence of infection on the fecundity of its intermediate snail host *Lymnaea stagnalis* and cercarial induction of the release of schistosomin, a snail neuropeptide antagonizing female gonadotropic hormones 85

PEREGRINE, A. S., KNOWLES, G., IBITAYO, A. I., SCOTT, J. R., MOLOO, S. K. and MURPHY, N. B. Variation in resistance to isometamidium chloride and diminazene aceturate by clones derived from a stock of *Trypanosoma congolense* 93

OSTROWSKI DE NUÑEZ, M. and HAAS, W. Penetration stimuli of fish skin for *Acanthostomum brauni* cercariae 101

JANSEN, P. A. and BAKKE, T. A. Temperature-dependent reproduction and survival of *Gyrodactylus salaris* Malmberg, 1957 (Platyhelminthes: Monogenea) on Atlantic salmon (*Salmo salar* L.) 105

BÓZNER, P. and DEMEŠ, P. Proteinases in *Trichomonas vaginalis* and *Tritrichomonas mobilensis* are not exclusively of cysteine type 113

LEE, D. L., KO, R. C., YI, X. Y. and YEUNG, M. H. F. *Trichinella spiralis*: antigenic epitopes from the stichocytes detected in the hypertrophic nuclei and cytoplasm of the parasitized muscle fibre (nurse cell) of the host 117

JENKINS, P., DIXON, J. B., HAYWOOD, S., RAKHA, N. K. and CARTER, S. D. Differential regulation of murine *Mesocestoides corti* infection by bacterial lipopolysaccharide and interferon-γ 125

RAKHA, N. K., DIXON, J. B., SKERRITT, G. C., CARTER, S. D., JENKINS, P. and MARSHALL-CLARKE, S. Lymphoreticular responses to metacestodes: *Taenia multiceps* (Cestoda) can modify interaction between accessory cells and responder cells during lymphocyte activation 133

PAPPAS, P. W. Activation and inhibition of the brush-border membrane-bound alkaline phosphatase activity of *Hymenolepis diminuta* (Cestoda) by divalent cations 141

THOMAS, D. RH. The epidemiology of *Nematodirus battus* – is it changing? 147

VOLUME 102 PART 2 APRIL 1991

KONISHI, E. Naturally occurring immunoglobulin M antibodies to *Toxoplasma gondii* in Japanese populations 157

KOUDELA, B., NOHÝNKOVÁ, E., VÍTOVEC, J., PAKANDL, M. and KULDA, J. *Giardia* infection in pigs: detection and *in vitro* isolation of trophozoites of the *Giardia intestinalis* group 163

LINES, J. D., WILKES, T. J. and LYIMO, E. O. Human malaria infectiousness measured by age-specific sporozoite rates in *Anopheles gambiae* in Tanzania 167

MAGUIRE, P. A., PRUDHOMME, J. and SHERMAN, I. W. Alterations in erythrocyte membrane phospholipid organization due to the intracellular growth of the human malaria parasite, *Plasmodium falciparum* 179

DAS GUPTA, S., GHOSH, D. K. and MAJUMDER, H. K. A cloned kinetoplast DNA mini-circle fragment from a *Leishmania* spp. specific for post-kala-azar dermal leishmaniasis strains 187

SHAW, M. K. and MOLOO, S. K. Comparative study on Rickettsia-like organisms in the midgut epithelial cells of different *Glossina species* 193

WELBURN, S. C. and MAUDLIN, I. Rickettsia-like organisms, puparial temperature and susceptibility to trypanosome infection in *Glossina morsitans* 201

SRIVIDYA, A., KRISHNAMOORTHY, K., SABESAN, S., PANICKER, K. N., GRENFELL, B. T. and BUNDY, D. A. P. Frequency distribution of *Brugia malayi* microfilariae in human populations 207

TOCQUE, K. and TINSLEY, R. C. Asymmetric reproductive output by the monogenean *Pseudodiplorchis americanus* 213

ZAJÍČEK, P. Enzyme polymorphism of freshwater fish trypanosomes and its use for strain identification 221

HIRUMI, H. and HIRUMI, K. *In vitro* cultivation of *Trypanosoma congolense* bloodstream forms in the absence of feeder cell layers 225

DE BONT, J., VERCRUYSSE, J., VAN AKEN, D., SOUTHGATE, V. R., ROLLINSON, D. and MONCRIEFF, C. The epidemiology of *Schistosoma spindale* Montgomery, 1906 in cattle in Sri Lanka 237

KRESINA, T. F. *In vivo* regulation of *S. japonica* granuloma formation by an IL-2 antagonist 243

BLAIR, K. L., DAY, T. A., LEWIS, M. C., BENNETT, J. L. and PAX, R. A. Studies on muscle cells isolated from *Schistosoma mansoni*: a Ca^{2+}-dependent K^+ channel 251

HOREMANS, A. M. C., TIELENS, A. G. M. and VAN DEN BERGH, S. G. The transition from an aerobic to an anaerobic energy metabolism in transforming *Schistosoma mansoni* cercariae occurs exclusively in the head 259

TIELENS, A. G. M., VAN DER MEER, P., VAN DEN HEUVEL, J. M. and VAN DEN BERGH, S. G. The enigmatic presence of all gluconeogenic enzymes in *Schistosoma mansoni* adults 267

SITHITHAWORN, P., TESANA, S., PIPITGOOL, V., KAEWKES, S., PAIROJKUL, C., SRIPA, B., PAUPAIROJ, A. and THAIKLAR, K. Relationship between faecal egg count and worm burden of *Opisthorchis viverrini* in human autopsy cases 277

ELKINS, D. B., SITHITHAWORN, P., HASWELL-ELKINS, M., KAEWKES, S., AWACHARAGAN, P. and WONGRATANACHEEWIN, S. *Opisthorchis viverrini*: relationships between egg counts, worms recovered and antibody levels within an endemic community in Northeast Thailand 283

BATES, R. M. and KENNEDY, C. R. Potential interactions between *Acanthocephalus anguillae* and *Pomphorhynchus laevis* in their natural hosts chub, *Leuciscus cephalus* and the European eel, *Anguilla anguilla* 289

AUMANN, J. Effect of the sulphydryl reagent, mersalyl acid, on sex pheromone reception by *Heterodera schachtii* (Nematoda: Heteroderidae) males 299

ABAD, P., TARES, S., BRUGIER, N. and DE GUIRAN, G. Characterization of the relationships in the pinewood nematode species complex (PWNSC) (*Bursaphelenchus* spp.) using a heterologous *unc-22* DNA probe from *Caenorhabditis elegans* 303

MAULE, A. G., SHAW, C., HALTON, D. W., THIM, L., JOHNSTON, C. F., FAIRWEATHER, I. and BUCHANAN, K. D. Neuropeptide F: a novel parasitic flatworm regulatory peptide from *Moniezia expansa* (Cestoda: Cyclophyllidea) 309

VOLUME 102 PART 3 JUNE 1991

ROSE, M. E. and HESKETH, P. *Eimeria tenella*: localization of the sporozoites in the caecum of the domestic fowl 317

RUANGJIRACHUPORN, W., AFZELIUS, B. A., PAULIE, S., WAHLGREN, M., BERZINS, K. and PERLMANN, P. Cytoadherence of knobby and knobless *Plasmodium falciparum*-infected erythrocytes 325

CRANDALL, I. and SHERMAN, I. W. *Plasmodium falciparum* (human malaria)-induced modifications in human erythrocyte band 3 protein 335

SUGIMOTO, C., KAWAZU, S., KAMIO, T. and FUJISAKI, K. Protein analysis of *Theileria sergenti/buffeli/orientalis* piroplasms by two-dimensional polyacrylamide gel electrophoresis 341

NORVALL, R. A. I., LAWRENCE, J. A., YOUNG, A. S., PERRY, B. D., DOLAN, T. T. and SCOTT, J. *Theileria parva*: influence of vector, parasite and host relationships on the epidemiology of theileriosis in southern Africa 347

POSNETT, E. S. and AMBROSIO, R. E. DNA probes for the detection of *Babesia caballi* 357

FOUSSARD, F., LERICHE, M. A. and DUBREMETZ, J. F. Characterization of the lipid content of *Toxoplasma gondii* rhoptries 367

RAWLINGS, P., DWINGER, R. H. and SNOW, W. F. An analysis of survey measurements of tsetse challenge to trypanotolerant cattle in relation to aspects of analytical models of trypanosomiasis 371

LEGUIZAMON, M. S., CAMPETELLA, O. E., REYES, M. B., IBAÑEZ, C. F., BASOMBRIO, M. A., RINCON, J., ÖRN, A. and FRASCH, A. C. C. Bloodstream *Trypanosoma cruzi* parasites from mice simultaneously express antigens that are markers of acute and chronic human Chagas disease 379

BINDSEIL, E. and HAN, J. Negative effect on early post-implantation pregnancy and progesterone levels in mice infected with the intestinal trematode *Echinostoma caproni* 387

MEYROWITSCH, D., CHRISTENSEN, N. Ø and HINDSBO, O. Effects of temperature and host density on the snail-finding capacity of cercariae of *Echinostoma caproni* (Digenea: Echinostomatidae) 391

IWAMURA, Y., IRIE, Y., KOMINAMI, R., NARA, T. and YASURAOKA, K. Existence of host-related DNA sequences in the schistosome genome 397

BATES, R. M. and KENNEDY, C. R. Site availability and density-dependent constraints on the acanthocephalan *Pomphorhynchus laevis* in rainbow trout, *Oncorhynchus mykiss* (Walbaum) 405

BALTAR, P., LEIRO, J., SANTAMARINA, M. T., SANMARTÍN, M. L., PORTO, M. C. and UBEIRA, F. M. Specific immunosuppression by *Trichinella*: fine specificity and effect on lymphocyte function *in vivo* 411

QUINNELL, R. J., BEHNKE, J. M. and KEYMER, A. E. Host specificity of and cross-immunity between two strains of *Heligmosomoides polygyrus* 419

HALTON, D. W., BRENNAN, G. P., MAULE, A. G., SHAW, C., JOHNSTON, C. F. and FAIRWEATHER, I. The ultrastructure and immunogold labelling of pancreatic polypeptide-immunoreactive cells associated with the egg-forming apparatus of a monogenean parasite, *Diclidophora merlangi* 429

ENGELBRECHT, F., BRAUN, G., CONNOR, V., DOWNHAM, M., WHITWORTH, J. A. and TAYLOR, D. W. Partial characterization of 2-β-mercaptoethanol-soluble surface-associated antigens of *Onchocerca volvulus* 437

ISAAC, R. E., EAVES, L., MUIMO, R. and LAMANGO, N. *N*-acetylation of biogenic amines in *Ascaridia galli* 445

BOOK REVIEWS 451